Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Issue date: 7/30/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : DESERT WOODS Inspired By DIOR SAUVAGE #EU56432F 5% in DPG

Product code : EU56432F_5%
Type of product : Perfumes, Fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Perfumes, Fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

No additional information available

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH phrases : EUH208 - Contains 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-

 $naphthalenyl) ethanone, \ Patchouli\ oil,\ (R)-p-mentha-1, 8-diene,\ d-limonene,\ Hexyl\ cinnamic$

aldehyde. May produce an allergic reaction.

Extra phrases : Restricted to professional users.

2.3. Other hazards

Contains no PBT and/or vPvB substances \geq 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	1.91 – 3.8183	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.1 – 0.2	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410	
Patchouli oil	CAS-No.: 8014-09-3 EC-No.: 616-944-7 EC Index-No.: 616-944-7	0.055 – 0.11	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411	
(R)-p-mentha-1,8-diene, d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.055 — 0.1056	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412	
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.05 – 0.1	Skin Sens. 1, H317 Aquatic Chronic 2, H411	
dipentene, limonene substance with national workplace exposure limit(s) (EE, LT, SE, NO)	CAS-No.: 138-86-3 EC-No.: 205-341-0	0.005 – 0.0114	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	0 - 0.0042	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0 – 0.004	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317	

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

7/30/2024 (Issue date) EN (English US) 3/16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.

Incompatible products

Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Germany

Storage class (LGK, TRGS 510)

Joint storage table

LGK 12 - Non-combustible liquids .GK 1 LGK 3 LGK 4.1A LGK 2A LGK 2B LGK 4.1B LGK 4.2 LGK 4.3 LGK 5.1A LGK 5.1B LGK 5.1C LGK 5.2 LGK 6.1A **LGK 6.1B LGK 6.1C** LGK 6.1D LGK 6.2 LGK 7 LGK 8A LGK 8B LGK 10 LGK 11 LGK 12 **LGK 13** LGK 10-13

: LGK 1, LGK 6.2, LGK 7 : LGK 4.1A, LGK 4.3, LGK 5.1C

Joint storage with restrictions permitted for

Joint storage permitted for

Joint storage not permitted for

: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

Switzerland

Storage class (LK) : LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	140 mg/m³	
	25 ppm	
HTP (OEL STEL)	280 mg/m³	
	50 ppm	
Germany - Occupational Exposure Limits (TRGS 9	00)	
AGW (OEL TWA)	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	skin notation, Skin sensitization	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)			
Slovenia - Occupational Exposure Limits			
OEL TWA	28 mg/m³		
	5 ppm		
OEL STEL	112 mg/m³		
	20 ppm		
OEL chemical category	Potential for cutaneous absorption		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA)	168 mg/m³		
	30 ppm		
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA)	140 mg/m³		
	25 ppm		
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)		
	37.5 ppm (value calculated)		
OEL chemical category	Allergenic substance		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA)	40 mg/m³		
	7 ppm		
KZGW (OEL STEL)	80 mg/m³		
	14 ppm		
OEL chemical category	Sensitizer		
dipentene, limonene (138-86-3)			
Estonia - Occupational Exposure Limits			
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	150 mg/m³		
	25 ppm		
TPRV (OEL STEL)	300 mg/m³		
	50 ppm		
OEL chemical category	Sensitizer coniferous resin sensitizes the skin		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Sweden - Occupational Exposure Limits 150 mg/m² NSY (OEL TWA) 150 mg/m² KSY (OEL STEL) 300 mg/m² OEL chemical category Sensitizer Norway - Occupational Exposure Limits 140 mg/m² Genseveral (OEL TWA) 140 mg/m² 25 ppm (Authority Companies) Kortidoveral (OEL STEL) 175 mg/m² (value calculated) OEL chemical category Allegeriac substance Belgium - Occupational Exposure Limits 20 ppm Estonia - Occupational Exposure Limits 20 ppm Estonia - Occupational Exposure Limits 30 mg/m² (Tupentine produced from Nordic confers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL TWA 25 ppm (Tupentine produced from Nordic confers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m² (Tupentine produced from Nordic confers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 50 ppm (Tupentine produced from Nordic confers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 50 ppm (Tupentine produced from Nordic confers has an irritating effect on the skin, monoterp	dipentene, limonene (138-86-3)				
Spm	Sweden - Occupational Exposure Limits				
KGV (OEL STEL) 300 mg/m³ OEL chemical category Sensitizer Norway - Occupational Exposure Limits 140 mg/m³ Genseverdi (OEL TWA) 140 mg/m³ Exposure Common (OEL STEL) 175 mg/m³ (value calculated) OEL chemical category Allergenic substance Allergenic substance Belgium - Occupational Exposure Limits OEL TWA 20 ppm Estonia - Occupational Exposure Limits OEL TWA 150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) DEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) DEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) DEL STEL 300 m	NGV (OEL TWA)	150 mg/m³			
Soppm		25 ppm			
OEL chemical category Sensitizer Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m² 55 ppm 175 mgm² (value calculated) OEL chemical category Allergenic substance .alphaPinene (80-56-8) Allergenic substance Belgium - Occupational Exposure Limits 20 ppm Estonia - Occupational Exposure Limits 20 ppm Estonia - Occupational Exposure Limits 25 ppm (Turpentine produced from Nordic conilers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL TWA 25 ppm (Turpentine produced from Nordic conilers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m² (Turpentine produced from Nordic conilers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 50 ppm (Turpentine produced from Nordic conilers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 50 ppm (Turpentine produced from Nordic conilers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) Descriptional Exposure Limits 50 ppm (Turpentine produced from Nordic conilers has an irritating effect on the skin, monoterpen	KGV (OEL STEL)	300 mg/m³			
Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm 25 ppm Kortidsverdi (OEL STEL) 175 mg/m³ (value calculated) OEL chemical category Allergenic substance Belgium - Occupational Exposure Limits OEL TWA 20 ppm Estenia - Occupational Exposure Limits OEL TWA DEL TWA 150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) DEL STEL 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) DEL STEL 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) DEL STEL 300 mg/m³ 25 ppm 25 ppm DEL CHEL TWA 20 ppm (Turpentine and se		50 ppm			
Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Kortidisverdi (OEL STEL) 175 mg/m³ (value calculated) OEL chemical category Allergenic substance AlphaPinene (80-56-8) Belgium - Occupational Exposure Limits OEL TWA 20 ppm Estonia - Occupational Exposure Limits OEL TWA 150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL OEL STEL OB mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OB mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OB mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) So mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) So mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)	OEL chemical category	Sensitizer			
Spm	Norway - Occupational Exposure Limits				
Kortidsverdi (OEL STEL) 176 mg/m³ (value calculated) OEL chemical category Allergenic substance JalphaPinene (80-56-8) Belgium - Occupational Exposure Limits OEL TWA 20 ppm Estonia - Occupational Exposure Limits OEL TWA 150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) Expose (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) Expose (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) Expose (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) Expose (Turpentine produced from Nordic conifers has an irritating effect on the sk	Grenseverdi (OEL TWA)	140 mg/m³			
Specific products Spec		25 ppm			
OEL chemical category Allergenic substance alphaPinene (80-56-8) Belgium - Occupational Exposure Limits OEL TWA 20 ppm Estonia - Occupational Exposure Limits OEL TWA 150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) Depm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits TPRV (OEL TWA) 150 mg/m³ 25 ppm TPRV (OEL STEL) 300 mg/m³ 50 ppm Portugal - Occupational Exposure Limits OEL TWA 20 ppm (Turpentine and selected Monoterpenes) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen Span - Occupational Exposure Limits VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer S	Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)			
Selgium - Occupational Exposure Limits 20 ppm		37.5 ppm (value calculated)			
Belgium - Occupational Exposure Limits 20 ppm	OEL chemical category	Allergenic substance			
Belgium - Occupational Exposure Limits 20 ppm	.alphaPinene (80-56-8)				
OEL TWA 20 ppm Estonia - Occupational Exposure Limits OEL TWA 150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 150 mg/m³ 25 ppm TPRV (OEL STEL) 300 mg/m³ 300 mg/m³ 50 ppm Portugal - Occupational Exposure Limits VLA-ED (OEL TWA) 20 ppm (Turpentine and selected Monoterpenes) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³					
Estonia - Occupational Exposure Limits OEL TWA 150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) OEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) For ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 150 mg/m³ 25 ppm TPRV (OEL STEL) 300 mg/m³ 50 ppm Portugal - Occupational Exposure Limits Portugal - Occupational Exposure Limits Portugal - Occupational Exposure Limits VIA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer Sensitizer Sensitizer Sensitizer		20 ppm			
DEL TWA 150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) DEL STEL 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 150 mg/m³ 25 ppm TPRV (OEL STEL) 300 mg/m³ 50 ppm Portugal - Occupational Exposure Limits OEL TWA 20 ppm (Turpentine and selected Monoterpenes) DEL chemical category 20 ppm (Turpentine and selected Monoterpenes) Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ 150 mg/m³ 150 mg/m³ 150 mg/m³	Estonia - Occupational Exposure Limits	1			
monoterpenes, with the exception of 3-Carene, have a lesser effect) DEL STEL OBLISTEL OBLISTE OB					
monoterpenes, with the exception of 3-Carene, have a lesser effect) 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 150 mg/m³ 25 ppm Portugal - Occupational Exposure Limits OEL TWA 20 ppm (Turpentine and selected Monoterpenes) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³					
Monoterpenes, with the exception of 3-Carene, have a lesser effect)	OEL STEL				
IPRV (OEL TWA) 150 mg/m³ 25 ppm TPRV (OEL STEL) 300 mg/m³ 50 ppm Portugal - Occupational Exposure Limits OEL TWA 20 ppm (Turpentine and selected Monoterpenes) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ 150 mg/m³					
TPRV (OEL STEL) 25 ppm 300 mg/m³ 50 ppm Portugal - Occupational Exposure Limits OEL TWA 20 ppm (Turpentine and selected Monoterpenes) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³	Lithuania - Occupational Exposure Limits				
TPRV (OEL STEL) 300 mg/m³ 50 ppm Portugal - Occupational Exposure Limits OEL TWA 20 ppm (Turpentine and selected Monoterpenes) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ 150 mg/m³	IPRV (OEL TWA)	150 mg/m³			
Fortugal - Occupational Exposure Limits OEL TWA 20 ppm (Turpentine and selected Monoterpenes) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³		25 ppm			
Portugal - Occupational Exposure Limits OEL TWA 20 ppm (Turpentine and selected Monoterpenes) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ 150 mg/m³	TPRV (OEL STEL)	300 mg/m³			
OEL TWA 20 ppm (Turpentine and selected Monoterpenes) OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³		50 ppm			
OEL chemical category Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³ 150 mg/m³	Portugal - Occupational Exposure Limits				
Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³	OEL TWA	20 ppm (Turpentine and selected Monoterpenes)			
VLA-ED (OEL TWA) 113 mg/m³ 20 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³	OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen			
20 ppm OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³	Spain - Occupational Exposure Limits				
OEL chemical category Sensitizer Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³	VLA-ED (OEL TWA)	113 mg/m³			
Sweden - Occupational Exposure Limits NGV (OEL TWA) 150 mg/m³		20 ppm			
NGV (OEL TWA) 150 mg/m³	OEL chemical category	Sensitizer			
	Sweden - Occupational Exposure Limits				
25 ppm	NGV (OEL TWA)	150 mg/m³			
		25 ppm			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

.alphaPinene (80-56-8)	.alphaPinene (80-56-8)			
KGV (OEL STEL)	300 mg/m ³			
	50 ppm			
OEL chemical category	Sensitizer			
Norway - Occupational Exposure Limits				
Grenseverdi (OEL TWA)	140 mg/m³			
	25 ppm			
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)			
	37.5 ppm (value calculated)			
OEL chemical category	skin notation			
USA - ACGIH - Occupational Exposure Limits				
ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)			
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer			
citral (5392-40-5)				
Belgium - Occupational Exposure Limits				
OEL TWA	32 mg/m³ (vapor and aerosol)			
	5 ppm (vapor and aerosol)			
OEL chemical category	Skin			
Ireland - Occupational Exposure Limits				
OEL TWA	5 ppm			
OEL STEL	15 ppm (calculated)			
Poland - Occupational Exposure Limits				
NDS (OEL TWA)	27 mg/m³			
NDSCh (OEL STEL)	54 mg/m³			
Portugal - Occupational Exposure Limits				
OEL TWA	5 ppm (inhalable fraction; vapor)			
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure			
Spain - Occupational Exposure Limits				
VLA-ED (OEL TWA)	5 ppm (inhalable fraction and vapor)			
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption			
USA - ACGIH - Occupational Exposure Limits				
ACGIH OEL TWA	5 ppm (inhalable fraction and vapor)			
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer			

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Color : Standard. Odor : characteristic. Odor threshold : Not available Melting point : Not available Freezing point : Not available : Not available Boiling point : Non flammable. Flammability Lower explosion limit : Not available Upper explosion limit : Not available : > 93 °C Flash point Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available : Not available Viscosity, kinematic Solubility : Not available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Partition coefficient n-octanol/water (Log Kow) : Not available Vapor pressure : Not available Vapor pressure at 50°C : Not available Density : Not available Relative density : Not available Relative vapor density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	1160 mg/kg body weight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
Peter level i all (1994 4 00 2)		

Patchouli oil (8014-09-3)

LD50 oral rat > 5 g/kg (Source: NLM_CIP)

(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)

LD50 oral rat 4400 mg/kg (Source: CHEMVIEW)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)				
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)			
Hexyl cinnamic aldehyde (101-86-0)				
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)			
LD50 oral	3100 mg/kg body weight			
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)			
LC50 Inhalation - Rat	> 5 mg/l/4h			
dipentene, limonene (138-86-3)				
LD50 oral rat	5300 mg/kg (Source: NLM_CIP)			
.alphaPinene (80-56-8)				
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)			
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)			
citral (5392-40-5)				
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)			
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)			
Additional information : Serious eye damage/irritation : Additional information : Respiratory or skin sensitization : Additional information : Germ cell mutagenicity : Additional information : Carcinogenicity :	Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met			
(R)-p-mentha-1,8-diene, d-limonene (5989-27-	5)			
IARC group	3 - Not classifiable			
Additional information : STOT-single exposure : Additional information : STOT-repeated exposure : Additional information : Aspiration hazard :	Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified			
benzyl benzoate (120-51-4)	Based on available data, the classification criteria are not met			
Viscosity, kinematic	7.456 mm ² /s			
(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)				
Hydrocarbon	Yes			
dipentene, limonene (138-86-3)				
Hydrocarbon	Yes			
.alphaPinene (80-56-8)				
Hydrocarbon	Yes			
•				

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential Adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

: Not classified

Hazardous to the aquatic environment, long-term

: Harmful to aquatic life with long lasting effects.

(chronic)

benzyl benzoate (120-51-4)				
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)			
NOEC (chronic)	0.168 mg/l			
(R)-p-mentha-1,8-diene, d-limonene (5989-27-	5)			
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)			
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)			
.alphaPinene (80-56-8)				
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)			
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
citral (5392-40-5)				
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)			
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)			

12.2. Persistence and degradability

DESERT WOODS Inspired By DIOR SAUVAGE #EU56432F 5% in DPG			
Persistence and degradability	Not established.		
benzyl benzoate (120-51-4)			
Persistence and degradability	May cause long-term adverse effects in the environment.		
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2)			
Persistence and degradability	Rapidly degradable		
Patchouli oil (8014-09-3)			
Persistence and degradability	Rapidly degradable		
(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)			
Persistence and degradability	Rapidly degradable		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hexyl cinnamic aldehyde (101-86-0)			
Persistence and degradability	Rapidly degradable		
dipentene, limonene (138-86-3)			
Persistence and degradability	Rapidly degradable		
.alphaPinene (80-56-8)			
Persistence and degradability	Rapidly degradable		
citral (5392-40-5)			
Persistence and degradability	Rapidly degradable		

12.3. Bioaccumulative potential

DESERT WOODS Inspired By DIOR SAUVAGE #EU56432F 5% in DPG			
Bioaccumulative potential	Not established.		
benzyl benzoate (120-51-4)			
Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C)			
Bioaccumulative potential	Not established.		
(R)-p-mentha-1,8-diene, d-limonene (5989-27-	(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)		
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)		
.alphaPinene (80-56-8)			
Partition coefficient n-octanol/water (Log Pow)	4.1		
citral (5392-40-5)			
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)		

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations Ecological information

- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- HP code : HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID n	14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shippin	g name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard o	class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information	No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	(R)-p-mentha-1,8-diene, d-limonene ; dipentene, limonene ; .alphaPinene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(b)	benzyl benzoate; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Patchouli oil; (R)-p- mentha-1,8-diene, d- limonene; Hexyl cinnamic aldehyde; dipentene, limonene; .alphaPinene ; citral	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	DESERT WOODS Inspired By DIOR SAUVAGE #EU56432F 5% in DPG; benzyl benzoate; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Patchouli oil; (R)-p- mentha-1,8-diene, d- limonene; Hexyl cinnamic aldehyde; dipentene, limonene; .alphaPinene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	(R)-p-mentha-1,8-diene, d-limonene ; dipentene, limonene ; .alphaPinene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances.

REACH Candidate List (SVHC)

Contains no REACH candidate substance

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 1, slightly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen – Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

None of the components are listedNone of the components are listed

: None of the components are listed

: None of the components are listed

: None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-phrases:			
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard Category 3		
Asp. Tox. 1	Aspiration hazard Category 1		
EUH208	Contains 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Patchouli oil, (R)-p-mentha-1,8-diene, d-limonene, Hexyl cinnamic aldehyde. May produce an allergic reaction.		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 3	Flammable liquids Category 3		
H226	Flammable liquid and vapor.		
H302	Harmful if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-phrases:		
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
Skin Sens. 1	Skin sensitization, Category 1	
Skin Sens. 1B	Skin sensitization, Category 1B	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.