

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9/19/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : CHRISTMAS PUDDING #EU54315F

UFI : X6EU-Y4C6-N002-JXV3

Product code : EU54315F

Type of product : Perfumes, fragrances Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

> For professional use only : Perfumes, fragrances

Use of the substance/mixture Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Antwerp Luxury Candle Supplies

Oostmalsebaan 1c/17, 2960 Brecht, Belgium

+32 343 043 40

mail@luxurycandlesupplies.eu

1.4. Emergency telephone number

Anti Gif Centrum 070 245 245

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment - Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

Signal word (CLP)

Contains (R)-p-mentha-1,8-diene; d-limonene; alpha-Methylcinnamic aldehyde; COUMARIN;

Cinnamic aldehyde; Methyl cinnamate

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

: For professional users only.

2.3. Other hazards

Extra phrases

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Verdox	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33	11 – 22	Aquatic Chronic 2, H411
Dipropylene glycol monomethyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	8 – 16	Not classified
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-	3.3 – 6.6	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
alpha-Methylcinnamic aldehyde	CAS-No.: 101-39-3 EC-No.: 202-938-8 REACH-no: 01-2119538797- 21	2 – 4	Skin Sens. 1, H317 Aquatic Chronic 1, H410
2(3H)-Furanone, 5-heptyldihydro-	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34	2 – 4	Aquatic Chronic 3, H412
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	1.7 – 3.4	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242- 45	1.6 – 3.2	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
Methyl cinnamate	CAS-No.: 103-26-4 EC-No.: 203-093-8 REACH-no: 01-2119979458- 16	1.5 – 3	Skin Sens. 1B, H317
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	1 – 2	Eye Irrit. 2, H319

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
,	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242- 45	(0.01 ≤ C < 100) Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

•

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep co

: Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated

clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

9/19/2024 (Issue date) EN (English) 3/19

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures

: Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment

: Collect spillage.

Methods for cleaning up

: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures

Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products
Incompatible materials

Strong bases. Strong acids.Sources of ignition. Direct sunlight.

Storage temperature

: 25 °C

Storage area

Store in a well-ventilated place. Store away from heat.

Special rules on packaging Packaging materials

Store in a closed container.Do not store in corrodable metal.

9/19/2024 (Issue date) EN (English) 4/19

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Switzerland

Storage class (LK) : LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

EU - Indicative Occupational Exposure Limit (IOEL) OEL TWA 308 mg/m³ 50 ppm Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits MAK (OEL TWA) 307 mg/m³ (mixed isomers) 50 ppm (mixed isomers) MAK (OEL STEL) 614 mg/m³ (isomers mixtures) 100 ppm (isomers mixtures) DEL chemical category Skin notation Belgium - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm DEL chemical category Skin, Skin notation Bulgaria - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm DEL chemical category Skin notation Croatia - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm DEL chemical category Skin notation Croatia - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm	
Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits WAK (OEL TWA) 307 mg/m³ (mixed isomers) 50 ppm (mixed isomers) 50 ppm (mixed isomers) 614 mg/m³ (isomers mixtures) 100 ppm (isomers mixtures) DEL chemical category Skin notation Selgium - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm DEL chemical category Skin, Skin notation Sulgaria - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits SVI (OEL TWA) 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits SVI (OEL TWA) Solution Skin notation	
Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits MAK (OEL TWA) 307 mg/m³ (mixed isomers) 50 ppm (mixed isomers) 614 mg/m³ (isomers mixtures) 100 ppm (isomers mixtures) DEL chemical category Skin notation 308 mg/m³ 50 ppm DEL chemical category Skin, Skin notation 308 mg/m³ 50 ppm DEL chemical category Skin, Skin notation 308 mg/m³ 50 ppm DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits DEL TWA) Solution Solution Croatia - Occupational Exposure Limits DEL TWA) Solution Sol	
Austria - Occupational Exposure Limits MAK (OEL TWA) 307 mg/m³ (mixed isomers) 50 ppm (mixed isomers) 614 mg/m³ (isomers mixtures) 100 ppm (isomers mixtures) DEL chemical category Skin notation 308 mg/m³ 50 ppm DEL chemical category Skin, Skin notation DEL TWA 308 mg/m³ 50 ppm DEL TWA 308 mg/m³ 50 ppm DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits SVI (OEL TWA) 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits SVI (OEL TWA)	
MAK (OEL TWA) 307 mg/m³ (mixed isomers) 50 ppm (mixed isomers) 614 mg/m³ (isomers mixtures) 100 ppm (isomers mixtures) DEL chemical category Skin notation DEL TWA 308 mg/m³ 50 ppm DEL chemical category Skin, Skin notation DEL TWA 308 mg/m³ 50 ppm DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits SVI (OEL TWA) 308 mg/m³ 50 ppm DEL chemical category Skin, Skin notation Syprus - Occupational Exposure Limits SVI (OEL TWA) Syprus - Occupational Exposure Limits SVI (OEL TWA) Syprus - Occupational Exposure Limits	
MAK (OEL STEL) 614 mg/m³ (isomers mixtures) 100 ppm (isomers mixtures) DEL chemical category Skin notation 308 mg/m³ 50 ppm DEL chemical category Skin, Skin notation 308 mg/m³ 50 ppm DEL chemical category Skin, Skin notation 308 mg/m³ 50 ppm DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits OCCUPATIONAL STELL STELL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) 308 mg/m³ 50 ppm DEL chemical category Skin notation Croatia - Occupational Exposure Limits Stell Chemical category Skin notation Croatia - Occupational Exposure Limits Stell Chemical category Skin notation	
MAK (OEL STEL) 614 mg/m³ (isomers mixtures) 100 ppm (isomers mixtures) Skin notation Selgium - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm DEL chemical category Skin, Skin notation Sulgaria - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) 308 mg/m³ 50 ppm So ppm DEL chemical category Skin notation So ppm So ppm DEL chemical category Skin notation So ppm So ppm DEL chemical category Skin notation	
DEL chemical category Skin notation DEL TWA 308 mg/m³ 50 ppm DEL chemical category Skin, Skin notation DEL chemical category Skin, Skin notation DEL TWA 308 mg/m³ 50 ppm DEL TWA 308 mg/m³ 50 ppm DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) 308 mg/m³ 50 ppm DEL chemical category Skin notation Syl (OEL TWA) Syl (OEL TWA) Syl (OEL TWA) Syl (OEL TWA) Syl (OEL Chemical category Skin notation Cryprus - Occupational Exposure Limits	
DEL chemical category Skin notation Selgium - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm DEL chemical category Skin, Skin notation Sulgaria - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) 308 mg/m³ 50 ppm DEL chemical category Skin notation Self TWA Self	
Belgium - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm DEL chemical category Skin, Skin notation Bulgaria - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) 308 mg/m³ 50 ppm DEL chemical category Skin notation Skin notation Skin notation Cryprus - Occupational Exposure Limits	
DEL TWA 308 mg/m³ 50 ppm DEL chemical category Skin, Skin notation Bulgaria - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) 308 mg/m³ 50 ppm DEL chemical category Skin notation Cyprus - Occupational Exposure Limits	
50 ppm DEL chemical category Skin, Skin notation DEL TWA DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) 308 mg/m³ 50 ppm DEL chemical category Skin notation DEL chemical category Skin notation Cyprus - Occupational Exposure Limits	
DEL chemical category Skin, Skin notation Sulgaria - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) 308 mg/m³ 50 ppm DEL chemical category Skin notation Cyprus - Occupational Exposure Limits	
Bulgaria - Occupational Exposure Limits DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) 308 mg/m³ 50 ppm DEL chemical category Skin notation Cyprus - Occupational Exposure Limits	
DEL TWA 308 mg/m³ 50 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) 308 mg/m³ 50 ppm DEL chemical category Skin notation Cyprus - Occupational Exposure Limits	
50 ppm Croatia - Occupational Exposure Limits GVI (OEL TWA) 308 mg/m³ 50 ppm DEL chemical category Skin notation Cyprus - Occupational Exposure Limits	
Croatia - Occupational Exposure Limits GVI (OEL TWA) 308 mg/m³ 50 ppm DEL chemical category Skin notation Cyprus - Occupational Exposure Limits	
308 mg/m³ 50 ppm DEL chemical category Cyprus - Occupational Exposure Limits	
50 ppm DEL chemical category Skin notation Cyprus - Occupational Exposure Limits	
DEL chemical category Skin notation Cyprus - Occupational Exposure Limits	
Cyprus - Occupational Exposure Limits	
DEL TWA 308 mg/m³	
50 ppm	
DEL chemical category Skin-potential for cutaneous absorption	
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA) 270 mg/m³	
DEL chemical category Potential for cutaneous absorption	
Denmark - Occupational Exposure Limits	
DEL TWA 309 mg/m³	

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)		
	50 ppm	
OEL STEL	618 mg/m³	
	100 ppm	
OEL chemical category	Potential for cutaneous absorption	
Estonia - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Skin notation	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	310 mg/m³	
	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
France - Occupational Exposure Limits	- '	
VME (OEL TWA)	308 mg/m³ (restrictive limit)	
	50 ppm (restrictive limit)	
OEL chemical category	Risk of cutaneous absorption	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	310 mg/m³ (isomer mixture)	
	50 ppm (isomer mixture)	
Gibraltar - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL chemical category	Skin notation	
Greece - Occupational Exposure Limits		
OEL TWA	600 mg/m³	
	100 ppm	
OEL STEL	900 mg/m³	
	150 ppm	
OEL chemical category	skin - potential for cutaneous absorption	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	308 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA	308 mg/m³ ((2-Methoxymethylethoxy)propanol)	
	50 ppm ((2-Methoxymethylethoxy)propanol)	
OEL STEL	924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)	
	150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)	
OEL chemical category	Potential for cutaneous absorption	
Italy - Occupational Exposure Limits		
OEL TWA	308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)	
	I control of the second of the	

Safety Data Sheet

S0 ppm (1-(3-Methoxypropoxy)propan-1-ol)	Dipropylene glycol monomethyl ether (34590-94-8)		
Cel TWA 308 mg/m² 50 ppm 50 ppm		50 ppm (1-(3-Methoxypropoxy)propan-1-ol)	
OEL chemical category skin - potential for cutaneous exposure Lithuania - Occupational Exposure Limits PRY (OEL TWA) 300 mg/m³ (2-(2-Methoxypropoxy)-propanol) 50 ppm (2-(2-Methoxypropoxy)-propanol) 50 ppm (2-(2-Methoxypropoxy)-propanol) 75 ppm (2-(2-Methoxypropoxy)-propanolon) 75 ppm (2-(2-Methoxypropoxy)-	OEL chemical category	skin - potential for cutaneous absorption	
S0 pm S0 pm	Latvia - Occupational Exposure Limits		
Sein - potential for cutaneous exposure	OEL TWA	308 mg/m³	
Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 300 mg/m² (2-(2-Methoxypropoxy)-propanol) TPRV (OEL STEL) 450 mg/m² (2-(2-Methoxypropoxy)-propanol) TPRV (OEL STEL) 450 mg/m² (2-(2-Methoxypropoxy)-propanol) TPRV (OEL STEL) 450 mg/m² (2-(2-Methoxypropoxy)-propanol) TS ppm (2-(2-Methoxypropoxy)-propanol) OEL chemical category Sixin notation DEL TWA 308 mg/m² 50 ppm OEL chemical category Possibility of significant uptake through the skin Matta - Occupational Exposure Limits OEL TWA 308 mg/m² 50 ppm OEL chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) 300 mg/m² 48.7 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 200 mg/m² (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol) Portugal - Occupational Exposure Limits OEL TWA 308 mg/m² (indicative limit value) 50 ppm (indicative limit value) OEL STEL 150 ppm OEL chemical category skin - potential for cutaneous exposure indicative limit value Romania - Occupational Exposure Limits OEL TWA 308 mg/m² 509 pm OEL chemical category Skin notation Siovakia - Occupational Exposure Limits NPHV (OEL TWA) 308 mg/m² Siovakia - Occupational Exposure Limits NPHV (OEL TWA) 308 mg/m² Siovakia - Occupational Exposure Limits		50 ppm	
PRV (OEL TWA)	OEL chemical category	skin - potential for cutaneous exposure	
Form (2-(2-Methoxypropoxy)-propanol) Form (2-(2-Methoxypropoxypropanol) Form (2-(2-(2-(2-(2-(2-(2-(2-(2-(2-(2-(2-(2-(Lithuania - Occupational Exposure Limits		
TPRV (OEL STEL) 450 mg/m² (2-(2-Methoxypropoxy)-propanol) OEL chemical category Skin notation Luxembourg - Occupational Exposure Limits 308 mg/m² OEL TWA 308 mg/m² 60 pm Possibility of significant uptake through the skin Matta - Occupational Exposure Limits OEL TWA 308 mg/m² 50 ppm 50 ppm OEL themical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits Possibility of significant uptake through the skin Poland - Occupational Exposure Limits 300 mg/m² NPS (OEL TWA) 300 mg/m² 48.7 ppm Poland - Occupational Exposure Limits NDS (OEL STEL) 400 mg/m² (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-	IPRV (OEL TWA)	300 mg/m³ (2-(2-Methoxypropoxy)-propanol)	
T5 ppm (2-(2-Methoxypropoxy)-propanol)		50 ppm (2-(2-Methoxypropoxy)-propanol)	
DEL chemical category Skin notation Luxembourg - Occupational Exposure Limits 308 mg/m³ OEL TWA 308 mg/m³ 65 ppm Possibility of significant uptake through the skin Malta - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits Possibility of significant uptake through the skin Poland - Occupational Exposure Limits 300 mg/m³ NDS (OEL TWA) 300 mg/m³ NDS (OEL TWA) 240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methy	TPRV (OEL STEL)	450 mg/m³ (2-(2-Methoxypropoxy)-propanol)	
Luxembourg - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Possibility of significant uptake through the skin Malta - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) 300 mg/m³ 48.7 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2		75 ppm (2-(2-Methoxypropoxy)-propanol)	
OEL TWA 308 mg/m³ 60 ppm Foesibility of significant uptake through the skin Malta - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm Foesibility of significant uptake through the skin Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) 300 mg/m³ A 7 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy	OEL chemical category	Skin notation	
S0 ppm Possibility of significant uptake through the skin Malta - Occupational Exposure Limits S0 ppm Possibility of significant uptake through the skin Malta - Occupational Exposure Limits S0 ppm Possibility of significant uptake through the skin Possibility of significant upta	Luxembourg - Occupational Exposure Limits		
OEL chemical category Possibility of significant uptake through the skin Malta - Occupational Exposure Limits OEL TWA 308 mg/m³ OEL chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) 300 mg/m³ 48.7 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol) NDSCh (OEL STEL) 480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-1-ol) Portugal - Occupational Exposure Limits OEL TWA 308 mg/m³ (indicative limit value) 50 ppm (indicative limit value) OEL STEL 150 ppm OEL chemical category skin - potential for cutaneous exposure indicative limit value Romania - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin notation Skin notation Skin notation Skin notation Skin notation Skin n	OEL TWA	308 mg/m³	
Malta - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) 300 mg/m³ 48.7 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol) NDSCh (OEL STEL) 480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol) Portugal - Occupational Exposure Limits OEL TWA 308 mg/m³ (indicative limit value) OEL STEL 150 ppm OEL chemical category skin - potential for cutaneous exposure indicative limit value Romania - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin notation Siovakia - Occupational Exposure Limits NPHV (OEL TWA) 308 mg/m³ 508 mg/m³ 50 ppm		50 ppm	
OEL TWA 308 mg/m³ 50 ppm OEL chemical category Possibility of significant uptake through the skin Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) 300 mg/m³ 48.7 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol) NDSCh (OEL STEL) 480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol) Portugal - Occupational Exposure Limits OEL TWA 308 mg/m³ (indicative limit value) 50 ppm (indicative limit value) OEL STEL 150 ppm OEL chemical category skin - potential for cutaneous exposure indicative limit value Romania - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin notation Siovakia - Occupational Exposure Limits NPHV (OEL TWA) 308 mg/m³ 308 mg/m³ Siovakia - Occupational Exposure Limits NPHV (OEL TWA) 308 mg/m³	OEL chemical category	Possibility of significant uptake through the skin	
S0 ppm Possibility of significant uptake through the skin	Malta - Occupational Exposure Limits		
Possibility of significant uptake through the skin	OEL TWA	308 mg/m³	
Netherlands - Occupational Exposure Limits TGG-8u (OEL TWA) 300 mg/m³ 48.7 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol) Portugal - Occupational Exposure Limits OEL TWA 308 mg/m³ (indicative limit value) 50 ppm (indicative limit value) OEL STEL 150 ppm OEL chemical category 8kin - potential for cutaneous exposure indicative limit value Romania - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin notation Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 308 mg/m³ 308 mg/m³ 50 ppm		50 ppm	
TGG-8u (OEL TWA) 300 mg/m³ 48.7 ppm	OEL chemical category	Possibility of significant uptake through the skin	
Poland - Occupational Exposure Limits NDS (OEL TWA) 240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methyletho	Netherlands - Occupational Exposure Limits		
Poland - Occupational Exposure Limits NDS (OEL TWA) 240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol) NDSCh (OEL STEL) 480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol) Portugal - Occupational Exposure Limits OEL TWA 308 mg/m³ (indicative limit value) 50 ppm (indicative limit value) OEL chemical category skin - potential for cutaneous exposure indicative limit value Romania - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin notation Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 308 mg/m³	TGG-8u (OEL TWA)	300 mg/m³	
NDS (OEL TWA) 240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, and 2-(2-Methoxy-1-methylethoxy)propan-1-ol) NDSCh (OEL STEL) 480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol) Portugal - Occupational Exposure Limits OEL TWA 308 mg/m³ (indicative limit value) 50 ppm (indicative limit value) OEL STEL 150 ppm OEL chemical category skin - potential for cutaneous exposure indicative limit value Romania - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin notation Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 308 mg/m³ 308 mg/m³		48.7 ppm	
2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol) NDSCh (OEL STEL) 480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol) Portugal - Occupational Exposure Limits OEL TWA 308 mg/m³ (indicative limit value) 50 ppm (indicative limit value) OEL STEL 150 ppm OEL chemical category skin - potential for cutaneous exposure indicative limit value Romania - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin notation Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 308 mg/m³ 308 mg/m³ 308 mg/m³	Poland - Occupational Exposure Limits		
2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol) Portugal - Occupational Exposure Limits	NDS (OEL TWA)		
OEL TWA 308 mg/m³ (indicative limit value) 50 ppm (indicative limit value) OEL STEL 150 ppm OEL chemical category skin - potential for cutaneous exposure indicative limit value Romania - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin notation Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 308 mg/m³ 308 mg/m³ 308 mg/m³	NDSCh (OEL STEL)		
OEL STEL OEL chemical category Skin - potential for cutaneous exposure indicative limit value Romania - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin notation Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 308 mg/m³ 308 mg/m³	Portugal - Occupational Exposure Limits		
OEL STEL OEL chemical category skin - potential for cutaneous exposure indicative limit value Romania - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin notation Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 308 mg/m³ 308 mg/m³	OEL TWA	308 mg/m³ (indicative limit value)	
OEL chemical category Romania - Occupational Exposure Limits OEL TWA OEL chemical category Skin - potential for cutaneous exposure indicative limit value 308 mg/m³ 50 ppm OEL chemical category Skin notation Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 308 mg/m³ 308 mg/m³		50 ppm (indicative limit value)	
Romania - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin notation Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 308 mg/m³	OEL STEL	150 ppm	
OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin notation Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 308 mg/m³	OEL chemical category	skin - potential for cutaneous exposure indicative limit value	
50 ppm OEL chemical category Skin notation Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 308 mg/m³	Romania - Occupational Exposure Limits		
OEL chemical category Skin notation Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 308 mg/m³	OEL TWA	308 mg/m³	
Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 308 mg/m³		50 ppm	
NPHV (OEL TWA) 308 mg/m³	OEL chemical category	Skin notation	
	Slovakia - Occupational Exposure Limits		
50 ppm	NPHV (OEL TWA)	308 mg/m³	
		50 ppm	

Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)		
OEL chemical category	Potential for cutaneous absorption	
Slovenia - Occupational Exposure Limits		
OEL TWA	308 mg/m³	
	50 ppm	
OEL STEL	308 mg/m³	
	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	308 mg/m³ (indicative limit value)	
	50 ppm (indicative limit value)	
OEL chemical category	skin - potential for cutaneous absorption	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	300 mg/m³	
	50 ppm	
KGV (OEL STEL)	450 mg/m³	
	75 ppm	
OEL chemical category	Skin notation	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	308 mg/m³	
	50 ppm	
WEL STEL (OEL STEL)	924 mg/m³ (calculated)	
	150 ppm (calculated)	
WEL chemical category	Potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	300 mg/m³	
	50 ppm	
Korttidsverdi (OEL STEL)	375 mg/m³ (value calculated)	
	75 ppm (value calculated)	
OEL chemical category	Skin notation	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	300 mg/m³ (aerosol, vapour)	
	50 ppm (aerosol, vapour)	
KZGW (OEL STEL)	300 mg/m³ (aerosol, vapour)	
	50 ppm (aerosol, vapour)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	50 ppm (Dipropylene glycol methyl ether)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	140 mg/m³	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Part California 25 ppm			
HTP (OEL STEL) 280 mg/m³ 50 ppm Germany - Occupational Exposure Limits (TRGS 90V) AGW (OEL TWA) 28 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and several can be calculated when AGW and several can be excluded when AGW and several can be	(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
So ppm		25 ppm	
Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category 5kin notation, 5kin sensitization Siovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Workway - Occupational Exposure Limits 140 mg/m³ 25 ppm Kortidsverdi (OEL TWA) 140 mg/m³ 25 ppm Kortidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits KZGW (OEL STEL) 40	HTP (OEL STEL)	280 mg/m³	
AGW (OEL TWA) 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization SIOVENTAIN 28 mg/m³ 5 ppm OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Span - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Kertideverdi (OEL TWA) 140 mg/m³ 25 ppm Kortidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm		50 ppm	
BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Siovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits VLA-ED (OEL TWA) 140 mg/m³ 25 ppm Kortidsverdi (OEL TWA) 140 mg/m³ 25 ppm Kortidsverdi (OEL STEL) 175 mg/m³ (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits KZGW (OEL STEL) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 7 ppm	Germany - Occupational Exposure Limits (TRGS 90	00)	
values are observed Chemical category Skin notation, Skin sensitization	AGW (OEL TWA)		
Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm			
OEL TWA 28 mg/m³ 5 ppm 5 ppm OEL STEL 112 mg/m³ OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits 168 mg/m³ VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits 40 mg/m³ MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm	Chemical category	Skin notation, Skin sensitization	
Determined Speciments 5 ppm OEL STEL 112 mg/m³ OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm	Slovenia - Occupational Exposure Limits		
OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm	OEL TWA	28 mg/m³	
OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm		5 ppm	
OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm	OEL STEL	112 mg/m³	
Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm		20 ppm	
VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm	OEL chemical category	Potential for cutaneous absorption	
OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm	Spain - Occupational Exposure Limits		
OEL chemical category Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm	VLA-ED (OEL TWA)	168 mg/m³	
Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm		30 ppm	
Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm	OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Exercises the second of the se	Norway - Occupational Exposure Limits		
Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm	Grenseverdi (OEL TWA)	140 mg/m³	
OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm		25 ppm	
OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm	Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm		37.5 ppm (value calculated)	
MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm	OEL chemical category	Allergenic substance	
7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm	Switzerland - Occupational Exposure Limits		
KZGW (OEL STEL) 80 mg/m³ 14 ppm	MAK (OEL TWA)	40 mg/m³	
14 ppm		7 ppm	
	KZGW (OEL STEL)	80 mg/m³	
OEL chemical category Sensitizer		14 ppm	
~ ·	OEL chemical category	Sensitizer	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Solubility

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Confo

Colour : Conforms to standard.
Odour : characteristic.

Odour threshold : Not available Melting point : Not applicable : Not available Freezing point Boiling point : Not available Flammability : Not applicable Lower explosion limit : Not available Upper explosion limit : Not available Flash point : 74 °C : Not available Auto-ignition temperature : Not available Decomposition temperature : Not available pН : Not available Viscosity, kinematic

Partition coefficient n-octanol/water (Log Kow)

9/19/2024 (Issue date) EN (English) 10/19

: Not available

: Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vapour pressure : 0.015470738 mm Hg (calculated value)

Vapour pressure at 50°C : Not available
Density : Not available
Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 23.2 % (calculated value)(CARB VOC) (%w/w)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Verdox (88-41-5)		
LD50 oral rat	4600 mg/kg (Source: NLM_CIP)	
LD50 oral	4600 mg/kg	
Dipropylene glycol monomethyl ether (34590-94-8)		
LD50 oral rat	5.35 g/kg (Source: NLM_HSDB)	
LD50 dermal rabbit	9500 mg/kg (Source: NLM_CIP)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

alpha-Methylcinnamic aldehyde (101-39-3)		
LD50 oral rat	2050 mg/kg (Source: NLM_CIP)	
LD50 oral	2050 mg/kg	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)	
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)		
LD50 oral rat	18500 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA)	
COUMARIN (91-64-5)		
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rat	293 mg/kg (Source: ECHA_API)	
Cinnamic aldehyde (104-55-2)		
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)	
LD50 oral	2220 mg/kg	
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)	
Methyl cinnamate (103-26-4)		
LD50 oral rat	2610 mg/kg (Source: NLM_CIP)	
LD50 oral	2610 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
Ethyl vanillin (121-32-4)		
LD50 oral rat	1590 mg/kg (Source: NLM_CIP)	
LD50 oral	3000 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
	Not classified	
Serious eye damage/irritation :	Not classified	
	May cause an allergic skin reaction.	
9 ,	Not classified	
Carcinogenicity : Not classified (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
IARC group	3 - Not classifiable	
COUMARIN (91-64-5)		
IARC group	3 - Not classifiable	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
STOT-repeated exposure :	Not classified	
	Not classified	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Hydrocarbon	Yes	
, 4	1.55	

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Toxic to aquatic life with long lasting effects.

Dipropylene glycol monomethyl ether (34590-94-8)		
LC50 - Fish [1]	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 - Crustacea [1]	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)	
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)		
LC50 - Fish [1]	569 mg/l 96 h	
EC50 - Crustacea [1]	5.85 mg/l 48 h	
EC50 - Other aquatic organisms [1]	5.94 mg/l 72 h	
Methyl cinnamate (103-26-4)		
LC50 - Fish [1]	2.76 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)	
Ethyl vanillin (121-32-4)		
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	

12.2. Persistence and degradability

CHRISTMAS PUDDING #EU54315F	
Persistence and degradability	Not established.
Verdox (88-41-5)	
Persistence and degradability	Rapidly degradable
Dipropylene glycol monomethyl ether (34590-94-8)	
Persistence and degradability Rapidly degradable	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
Persistence and degradability Rapidly degradable	
alpha-Methylcinnamic aldehyde (101-39-3)	
Persistence and degradability	Rapidly degradable
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)	

Safety Data Sheet

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

COUMARIN (91-64-5)		
Persistence and degradability	Rapidly degradable	
Cinnamic aldehyde (104-55-2)		
Persistence and degradability	Rapidly degradable	
Methyl cinnamate (103-26-4)		
Persistence and degradability	Not established.	
Ethyl vanillin (121-32-4)		
Persistence and degradability	Rapidly degradable	

12.3. Bioaccumulative potential

CHRISTMAS PUDDING #EU54315F		
Bioaccumulative potential	Not established.	
Dipropylene glycol monomethyl ether (34590-94-8)		
Partition coefficient n-octanol/water (Log Pow)	0.35 (at 25 °C (at pH 7)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)		
Partition coefficient n-octanol/water (Log Pow)	3.6 (at 25 °C)	
Cinnamic aldehyde (104-55-2)		
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)	
Methyl cinnamate (103-26-4)		
Partition coefficient n-octanol/water (Log Pow)	2.68 (at 25 °C (at pH >4.73-<7.06)	
Bioaccumulative potential	Not established.	
Ethyl vanillin (121-32-4)		
Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

9/19/2024 (Issue date) EN (English) 15/19

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ecological information

: Avoid release to the environment.

HP Code

- : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.
- HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha-	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde), 9, III
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde),	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde),
HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde),	HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde)
HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde),	HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde)
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde),	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde)
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde),	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (alpha- Methylcinnamic aldehyde),
9, III	J, III
9	9
9	
III	III
Dangerous for the environment: Yes	Dangerous for the environment: Yes
	Dangerous for the

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

: TP1, TP29

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001

Special packing provisions (IMDG) : PP1

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP1, TP29

EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

9/19/2024 (Issue date) EN (English) 17/19

Safety Data Sheet

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading

: CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list	EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description	
3(a)	(R)-p-mentha-1,8-diene; d-limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	CHRISTMAS PUDDING #EU54315F; (R)-p- mentha-1,8-diene; d- limonene; alpha- Methylcinnamic aldehyde ; Cinnamic aldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	CHRISTMAS PUDDING #EU54315F; Verdox; (R)-p-mentha-1,8-diene; d-limonene; alpha- Methylcinnamic aldehyde; 2(3H)-Furanone, 5- heptyldihydro-; Cinnamic aldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	(R)-p-mentha-1,8-diene; d-limonene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

VOC Directive (2004/42)

VOC content : 23.2 % (calculated value)(CARB VOC) (%w/w)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

List of sensitizing substances (TRGS 907) Contains sensitizing substances according TRGS 907.

Hazardous Incident Ordinance (12. BlmSchV) Is not subject to the Hazardous Incident Ordinance (12. BlmSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen

: None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed : None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding

SZW-lijst van reprotoxische stoffen -: None of the components are listed

Vruchtbaarheid

: None of the components are listed

SZW-lijst van reprotoxische stoffen - Ontwikkeling Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1

9/19/2024 (Issue date) EN (English) 20/19

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.